

# INDEX

## A

absolute pressure, **704, 737**  
 acceleration due to gravity, **137, 146**  
 acceleration vector, **166, 195**  
 accuracy, **28, 35**  
 action-at-a-distance force, **673, 681**  
 air resistance, **137**  
 airbag, **405**  
 amplitude, **797**  
 amplitude (A), **751, 785**  
 Andromeda galaxy, **640**  
 angle between two vectors, **80**  
 angular acceleration, **480, 529**  
 angular frequency, **185, 195, 804**  
 angular momentum, **555, 576**  
 angular position, **476, 529**  
 angular velocity, **477, 529**  
 anticommutative property, **83, 91**  
 antinode, **831, 838**  
 antiparallel, **46**  
 antiparallel vectors, **91**  
 aphelion, **661, 681**  
 apparent weight, **644, 681**  
 Archimedes, **714**  
 Archimedes' principle, **714, 737**  
 artificial joint, **284**  
 associative, **50, 91**  
 atmospheric pressure, **698, 704**  
 Atwood machine, **275**  
 average acceleration, **117, 146**  
 average power, **346, 349**  
 average speed, **113, 146**  
 average velocity, **108, 146**

## B

banked curve, **296, 311**  
 bar graphs of total energy, **374**  
*barometer*, **705**  
 Barringer Crater, **402**  
 base quantities, **15**  
 base quantity, **35**  
 base unit, **15, 35**  
 beat frequency, **886, 899**  
 beats, **886, 899**  
 Bell, **868**  
 Bernoulli, **722**  
 Bernoulli's equation, **722, 737**  
 Bernoulli's principle, **724, 737**  
 black hole, **675, 681**  
 boomerang, **504**

bow wake, **898, 899**  
 Brahe, **636**  
 breaking stress (ultimate stress), **622**  
 Brownian motion, **161**  
 bulk modulus, **610, 622, 866**  
 bulk strain, **609, 622**  
 bulk stress, **609, 622**  
 bungee cord, **353**  
 bungee jumper, **366**  
 buoyant force, **713, 737**

## C

Cavendish, **637**  
 center of gravity, **590, 622**  
 center of mass, **444, 461**  
*centrifugal force*, **299**  
 centrifuge, **300**  
 centripetal acceleration, **183, 195, 293, 493**  
 centripetal force, **293, 311**  
 Cerenkov radiation, **898**  
*chemical energy*, **382**  
 closed system, **417, 461**  
 coefficient of kinetic friction, **283**  
 coefficient of static friction, **283**  
 coefficient of viscosity, **730**  
 commutative, **50, 91**  
 component form of a vector, **91**  
 compressibility, **616, 622**  
 compressions, **854**  
 compressive strain, **622**  
 compressive stress, **609, 622**  
 conservative force, **368, 386**  
 conserved quantity, **372, 386**  
 constructive interference, **823, 838**  
*contact forces*, **211**  
 conversion factor, **20, 35**  
 coordinate system, **57**  
 Copernicus, **636**  
 Coriolis force, **301, 311**  
 corkscrew right-hand rule, **83, 91**  
 critically damped, **779, 785**  
 cross product, **82, 91**  
 Curie, **13**

## D

damped harmonic motion, **777**  
 dark matter, **679**  
 decibels, **868**  
 deformation, **609**  
 density, **694, 737**  
 derived quantity, **15, 35**

derived units, **15, 35**  
 destructive interference, **823, 838**  
*deuteron*, **427**  
 difference of two vectors, **50, 91**  
 dimension, **22, 35**  
 dimensionally consistent, **23, 35**  
 dimensionless, **22, 35**  
 direction angle, **60, 91**  
 discrepancy, **29, 35**  
 displacement, **45, 91, 106, 146**  
 displacement vector, **159, 195**  
 distance traveled, **108, 146**  
 distributive, **50, 91**  
 Doppler effect, **888, 899**  
 Doppler shift, **888, 899**  
 dot product, **78, 91**  
 drag coefficient, **303**  
 drag force, **270, 302, 311**  
 dynamics, **208, 252**

## E

Einstein, **672**  
 elapsed time, **108, 146**  
 elastic, **426, 461, 609, 619, 622**  
 elastic limit, **619, 622**  
 elastic modulus, **622**  
 elastic potential energy, **364, 760, 785**  
 elastic property, **857**  
*Electrical energy*, **382**  
*Electromagnetic waves*, **797**  
 elevator, **271**  
 energy conservation, **372, 386**  
 English units, **15, 35**  
*entrainment*, **725**  
 equal vectors, **69, 91**  
*equation of continuity*, **719**  
 equilibrium, **215, 588, 622**  
 equilibrium point, **379, 386**  
 equilibrium position, **752, 785**  
 escape velocity, **650, 681**  
 estimation, **25, 35**  
 event horizon, **675, 681**  
 exact differential, **369, 386**  
 explosion, **426, 461**  
 external force, **209, 252, 441, 461**

## F

Fermi, **13**  
*fictitious forces*, **246**  
*field forces*, **211**  
 first equilibrium condition, **622**  
 fixed boundary condition, **819,**

- 838**  
 flow rate, **718, 737**  
 fluids, **692, 737**  
 flywheel, **499**  
 force, **209, 252**  
 force constant ( $k$ ), **752, 785**  
 fossil fuels, **384**  
 frame of reference, **106**  
 free boundary condition, **819, 838**  
 free fall, **137, 146, 228, 252**  
 free-body diagram, **209, 252, 266**  
 frequency, **857**  
 frequency ( $f$ ), **751, 785**  
 friction, **281, 311**  
 fundamental, **879, 899**  
 fundamental frequency, **833, 838**
- G**  
 Galileo, **136, 636**  
 Gases, **692**  
 gauge pressure, **704, 737**  
 Geiger, **432**  
 geosynchronous, **686**  
 geothermal, **384**  
 gravitational field, **644, 681**  
 gravitational potential energy, **362**  
 gravitational torque, **590, 622**  
 gravitationally bound, **651, 681**  
 gyroscope, **571**
- H**  
 Halley, **666**  
 Halley's comet, **666**  
 harmonics, **879, 899**  
 Hearing, **854**  
 hearing, **899**  
 helicopter, **503**  
 heterogeneous substance, **696**  
 Hohmann transfer, **663**  
 homogeneous substance, **696**  
 Hooke's law, **252, 335, 751**  
 hydraulic jack, **710, 737**  
 hydraulics, **708**  
 Hydropower, **384**  
 hydrostatic equilibrium, **708, 737**
- I**  
 I-beams, **614**  
 ideal banking, **296, 311**  
 ideal fluid, **717, 737**  
 impulse, **400, 461**  
 impulse-momentum theorem, **407, 461**
- inclined plane, **286**  
 inelastic, **426, 461**  
 inertia, **214, 252**  
 inertial force, **299, 311**  
 inertial property, **857**  
 inertial reference frame, **214, 252**  
 instantaneous acceleration, **119, 146**  
 instantaneous angular acceleration, **480, 529**  
 instantaneous angular velocity, **477, 529**  
 instantaneous power, **346**  
 instantaneous speed, **113, 146**  
 instantaneous velocity, **111, 146**  
 intensity ( $I$ ), **818, 838**  
 interference, **821, 838**  
 internal force, **441, 461**  
 International Space Station, **643, 655**  
 Io, **671**  
 iPhone, **409**
- J**  
 joule, **329**
- K**  
 Kepler, **636**  
 Kepler's first law, **660, 681**  
 Kepler's second law, **664, 681**  
 Kepler's third law, **665, 681**  
 kilogram, **17, 35**  
 kinematics, **105, 146, 277**  
 kinematics of rotational motion, **486, 529**  
 kinetic energy, **338, 349**  
 kinetic friction, **282, 311**
- L**  
 laminar flow, **718, 737**  
 law, **14, 35**  
 law of conservation of angular momentum, **565, 576**  
 Law of Conservation of Momentum, **417, 461**  
 law of inertia, **214, 252**  
 Lennard-Jones 6-12 potential, **764**  
 lever arm, **515, 529**  
 limit, **620**  
 linear mass density, **451, 461, 507, 529**  
 linear wave equation, **808, 838**  
 linearity limit (proportionality limit), **622**  
 Liquids, **692**
- longitudinal wave, **798, 838**  
 loop-the-loop, **343**  
 loudness, **871, 899**
- M**  
 Mach number, **895**  
 magnitude, **45, 91**  
 manometer, **705**  
 Mars Climate Orbiter, **22**  
 Marsden, **432**  
 mass flow rate, **721**  
 mass-spring system, **365**  
 Matter waves, **797**  
 mechanical energy, **372, 386**  
 mechanical wave, **796, 838**  
 medium, **796**  
 meter, **17, 35**  
 method of adding percents, **30, 35**  
 metric system, **18, 35**  
 Milky Way, **8, 640**  
 model, **13, 35**  
 modulus, **609**  
 Molniya orbit, **581**  
 moment of inertia, **499, 529**  
 momentum, **226, 398, 461**
- N**  
 natural angular frequency, **778, 785**  
 neap tide, **668, 681**  
 net external force, **212, 252**  
 net work, **341, 349**  
 neutron star, **677, 681**  
 Newton, **208, 636**  
 newton, **211, 252**  
 Newton's first law, **213**  
 Newton's first law of motion, **252**  
 Newton's law of gravitation, **681**  
 Newton's laws of motion, **266**  
 Newton's second law, **219**  
 Newton's second law for rotation, **520, 529**  
 Newton's second law of motion, **252**  
 Newton's third law, **229**  
 Newton's third law of motion, **252**  
 node, **831, 838**  
 noise reduction, **877**  
 non-conservative force, **386**  
 Non-conservative forces, **368**  
 Non-Euclidean geometry, **674**  
 non-Euclidean geometry, **681**  
 non-renewable, **383, 386**  
 noninertial frame of reference, **299, 311**

normal force, **237, 252, 271**  
 normal mode, **833, 838**  
 normal pressure, **616, 622**  
 notes, **871, 899**  
*Nuclear energy*, **382**  
 null vector, **69, 91**

## O

orbital period, **653, 681**  
 orbital speed, **653, 681**  
 order of magnitude, **10, 35**  
 orthogonal vectors, **46, 91**  
 oscillation, **751, 785**  
 overdamped, **779, 785**  
 overtone, **833, 838**  
 overtones, **879, 899**

## P

parallel axis, **508, 529**  
 parallel vectors, **46, 91**  
 parallel-axis theorem, **508, 529**  
 parallelogram rule, **91**  
 particle acceleration, **270**  
 particle equilibrium, **268**  
 pascal, **707**  
 pascal (Pa), **622**  
 Pascal's principle, **708, 737**  
 pendulum bob, **770**  
 percent uncertainty, **30, 35**  
 perfectly inelastic, **426, 461**  
 perihelion, **661, 681**  
 period ( $T$ ), **750, 785**  
 periodic driving force, **780**  
 periodic motion, **750, 785**  
 phase of the wave, **805**  
 phase shift, **755, 785, 826**  
 phases of matter, **692**  
*Philae*, **423**  
 phon, **872, 899**  
 physical pendulum, **772, 785**  
 physical quantity, **15, 35**  
 physics, **8, 35**  
 pitch, **871, 899**  
 pivot point, **589**  
 plasma, **693**  
 plastic behavior, **620, 622**  
 Poiseuille, **732**  
 Poiseuille's law, **732, 737**  
 Poiseuille's law for resistance, **732, 737**  
 polar coordinate system, **64, 91**  
 polar coordinates, **64, 91**  
 position, **106, 146**  
 position vector, **158, 195**  
 potential energy, **360, 386**  
 potential energy diagram, **377, 386**

potential energy difference, **360, 386**  
 power, **346, 349**  
 power of a mechanical wave, **817**  
 Prandtl tube, **726**  
 precession, **571, 576**  
 precision, **28, 35**  
 pressure, **615, 622, 697, 737**  
 principle of equivalence, **673, 681**  
 principle of superposition., **809**  
 projectile motion, **172, 195**  
 proportionality, **620**  
 Ptolemy, **636**  
 pulsar, **580**  
 pulse, **802, 838**

## R

radial coordinate, **64, 91**  
*radiant energy*, **382**  
 range, **178, 195**  
 rarefactions, **854**  
 red shift, **895**  
 reference frame, **189, 195**  
 relative velocity, **190, 195**  
 renewable, **383, 386**  
 resonance, **781, 785, 829, 837**  
 Resonance, **878**  
 resonant cavities, **883**  
*restoring force*, **210, 763, 785**  
 resultant vector, **49, 91**  
 Reynolds number, **735, 737**  
 right-hand rule, **478**  
 rigid body, **475**  
 rocket equation, **458, 461**  
 rolling motion, **546, 576**  
 rotational dynamics, **520, 529**  
 rotational kinetic energy, **498, 529**  
 rotational work, **524, 529**  
 Rutherford, **432**

## S

scalar, **44, 91**  
 scalar component, **58, 91**  
 scalar equation, **48, 91**  
 scalar product, **78, 91**  
 scalar quantity, **44, 91**  
 Schwarzschild, **675**  
 Schwarzschild radius, **676, 681**  
 seatbelt, **405**  
 second, **16, 35**  
 second equilibrium condition, **622**  
 Seismic waves, **864**

shear, **609**  
 shear modulus, **610, 622**  
 shear strain, **622**  
 shear stress, **289, 609, 622**  
 shock wave, **897, 899**  
 SI units, **15, 35**  
 significant figures, **31, 35**  
 simple harmonic motion (SHM), **751, 785**  
 simple harmonic oscillator, **751, 760, 785**  
 simple pendulum, **770, 785**  
 solar power, **384**  
 solids, **692**  
 sonic boom, **897, 899**  
 sound, **854, 899**  
 sound intensity level, **868, 899**  
 sound pressure level, **871, 899**  
 space-time, **673, 681**  
 specific gravity, **696, 737**  
 spring tide, **668, 681**  
 Stability, **763**  
 stable equilibrium point, **763, 785**  
 standing wave, **828, 838**  
*standing waves*, **878**  
 static equilibrium, **588, 622**  
*static fluid*, **700**  
 static friction, **282, 311**  
 strain, **609, 609, 622**  
 stress, **622**  
 stress-strain diagram, **620, 622**  
 superposition, **822, 838**  
 surface mass density, **509, 529**  
 system, **417, 461**

## T

tail-to-head geometric construction, **54, 91**  
 tangential acceleration, **187, 195, 493**  
 tangential velocity, **769**  
 tensile strain, **609, 622**  
 tensile stress, **609, 622**  
 tension, **240, 252**  
 terminal velocity, **305, 311**  
 the component form of a vector, **58**  
 the parallelogram rule, **53**  
 theory, **14, 36**  
 theory of general relativity, **673, 681**  
*thermal energy*, **382**  
 thrust, **230, 252**  
 tidal force, **667, 682**  
 timbre, **871, 899**

time of flight, **178, 195**  
torque, **513, 529**  
torr., **708**  
Torricelli, **706**  
torsion constant, **775**  
torsional pendulum, **775, 785**  
total acceleration, **187, 195**  
total displacement, **107, 146**  
total linear acceleration, **494, 529**  
trajectory, **171, 178, 195**  
transducer, **867, 899**  
transverse wave, **798, 838**  
tubes with anti-symmetrical boundary conditions, **881**  
tubes with symmetrical boundary conditions, **881**  
tuned-mass damper, **749**  
tuning fork, **878**  
turbulence, **728, 737**  
turbulent flow, **718, 737**  
turning point, **379, 386**  
turning points, **763**  
tweeter, **863**  
two-body pursuit problem, **134, 146**  
two-body pursuit problems, **124**

## U

ultimate stress, **620**  
uncertainty, **29, 36**  
underdamped, **779, 785**  
uniform circular motion, **766**  
unit vector, **50, 91**  
Unit vectors of the axes, **58**  
unit vectors of the axes, **91**  
units, **15, 36**  
universal gravitational constant, **637, 682**

## V

vector, **91**  
vector components, **57, 91**  
vector equation, **48, 92**  
vector product, **82, 92**  
vector quantities, **44**  
vector quantity, **92**  
vector sum, **49, 92**  
vectors, **44**  
velocity vector, **162, 195**  
Venturi, **741**  
viscosity, **717, 737**  
volume strain, **609**  
volume stress, **609**

## W

wave, **796, 838**

wave function, **802, 838**  
wave number, **804, 838**  
wave speed, **798, 838**  
wave velocity, **798, 838**  
wavelength, **797, 838, 856**  
weight, **227, 252**  
Wheeler, **675**  
Whirlpool Galaxy, **8**  
Wind power, **384**  
wind tunnel, **303**  
woofer, **863**  
work, **328, 349**  
work done by a force, **349**  
work-energy theorem, **342, 349**  
work-energy theorem for rotation, **529**

## Y

Young's modulus, **610, 622, 857**